



These documents have been prepared specifically for this project. Reproduction or other use of these documents is prohibited without the approval of the Architect.

CERTIFICATION:

REVISIONS:

DATE DESCRIPTION

DATE	DESCRIPTION


TOWN OF TRUMBULL
MADISON MIDDLE SCHOOL
ROOF REPLACEMENT
4630 MADISON AVENUE
TRUMBULL, CONNECTICUT

DRAWING TITLE:
ROOF DETAILS


SCALE: AS NOTED
DRAWN BY: ABS
REVIEWED BY: PAL
DRAWING NO.

A-150

DATE: 10 FEBRUARY 2014
JOB NUMBER: 13049




4 TYPICAL DUCT PENETRATION DETAIL
SCALE: 3" = 1'-0"



NOTE:
PROVIDE TEMPORARY SHORING AS BRICKS ARE REMOVED


5 NEW THRU-WALL FLASHING DETAIL
SCALE: 3" = 1'-0"



NOTES


1. DETAILS TO BE USED IN CONJUNCTION WITH STANDARD GUIDE SPECIFICATIONS CONTAINING REQUIREMENTS FOR NAILERS, INSULATION, SLIPSHEETS, ETC.
2. FIELD MEMBRANE SEAMS MUST NOT RUN THRU DRAIN BOWL.
3. ALL MEMBRANE CUTS MUST BE ROUNDED TO PREVENT TEARING.
4. REPLACE ANY BROKEN COMPONENTS (DRAINS, RINGS, BOLTS, ETC.).
5. 'SUMP' AREA MUST BE PROPERLY TAPERED SO THAT THE DRAIN FLASHING IS NOT INSTALLED UNDER TENSION.
6. DETAIL MUST NOT BE USED WHERE COAL TAR PITCH IS PRESENT.
7. ALL RESIDUAL BITUMEN MATERIALS MUST BE REMOVED FROM DRAIN BOWL AND CLAMPING RING.

6 TYPICAL ROOF DRAIN DETAIL
SCALE: 1 1/2" = 1'-0"




NOTES:
TEMPORARILY REMOVE EXISTING (4) ROWS OF SNOW GUARDS AND RE-INSTALL PER MANUFACTURER'S RECOMMENDATIONS AS REQUIRED TO INSTALL NEW ROOFING AND SNOW MELT SYSTEMS.


10 GUTTER & FLASHING DETAIL
SCALE: 3" = 1'-0"




7 PLAN VIEW TO APPLICATION OF PVC ROOF MEMBRANE
SCALE: 3" = 1'-0"




8 TYPICAL ROOF ASSEMBLY
SCALE: 3" = 1'-0"




9 ROOF ASSEMBLY @ AREAS B, C & J
SCALE: 3" = 1'-0"




11 COUNTER FLASHING DETAIL
SCALE: 3" = 1'-0"



12 TYPICAL CURB DETAIL
SCALE: 3" = 1'-0"



13 EXPANSION JOINT DETAIL
SCALE: 3" = 1'-0"



14 EDGE DETAIL @ SCUPPERS
SCALE: 3" = 1'-0"